

500L chest freezer, white with lightweight, spring loaded lid, two removable wire baskets, adjustable thermostat & 3 energy star rating

Product Details

FEATURES

Removable, high insulation door seal

Hovering Door

Removable Baskets

Power-off Protection

LED lighting

Recessed Handle

Mechanical Control

Adjustable Legs

R600a refrigerant better for the environment

White Inner Liner

BENEFITS

Hovering door

The hovering door design allows you to open and leave the door at any angle between 30 and 60 degrees, allowing you to pack or unpack your freezer without the need to hold up the freezer door.

Removable baskets

Baskets can be removed to allow more storage space. When in use they keep the freezer neat and organised.

Power off protection

This new chest freezer is able to keep the inside temperature at 0 degrees for up to 135 hours after powering off.

Ultra-thin hinges

Short on space? The ultra-thin hinges on the chest freezer, allows you to place it right up against the wall.

Mechanical Control

Simply turning the temperature knob, you can set the temperature of the cabinet as you need, making sure that all kinds of food will be kept in the right condition.

Recessed Handle

This modern design of the luxurious recessed handle in round corner, perfectly fits into any existing kitchen design and easy to clean

R600a refrigerant

More environmentally friendly

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Refrigerator Type	chest freezer
Exterior door finish	White
Handle design	integrated
Cooling system	cyclic
Freezer door opening	top
Refrigerant	R600a

DIMENSIONS

Total height (mm)	847
Cabinet height (mm)	744
Total width (mm)	1646
Cabinet width (mm)	1646
Total depth (mm)	717
Cabinet depth (mm)	682
Height with lid open	1517
Air space above total height (mm)	100
Freezer Compartment Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552-2015) *	500
Total Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552-2015) *	500

ENERGY

FREEZER COMPARTMENT

BASKET/DRAWER

ENERGY


Energy Star Rating - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	3
Energy Consumption (kWh/year) - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	405

Full width wire baskets 2

LIGHTING

Main light	LED
------------	-----

Dimensions



Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz